



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

1 of 1

3 gram Disposable

Sample ID: 2411AFL0407.2009

Internal Lab ID: ATL-25137

Client

Strain: Strawberry Cough

LIT!

Matrix: Other

Received: 11/18/2024

Lic. #

Type: Vape Hardware

Completed: 11/25/2024

Miami Gardens, FL 33014

Unit Weight: 3 g

Batch#: 139536



Summary

Test

Date Tested

Result

Batch

Cannabinoids

11/19/2024

Complete

Complete

Basic Potency

Complete

0.16%

Total THC

ND

Total CBD

85.47%

Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.01	ND	ND	CBN	0.01	ND	ND
CBDV	0.01	ND	ND	Δ 9-THC	0.01	ND	ND
CBDa	0.01	ND	ND	Δ 8-THC	0.01	85.29	2558.6
CBGa	0.01	ND	ND	(6aR,9S)-d10-THC	0.01	ND	ND
CBG	0.01	ND	ND	(6aR,9R)-d10-THC	0.00	ND	ND
CBD	0.01	ND	ND	CBC	0.01	ND	ND
THCV	0.01	ND	ND	CBCa	0.01	ND	ND
Δ 8-THCV	0.00	ND	ND	THCa	0.01	0.19	5.6
THCVa	0.01	ND	ND	Total		85.47	2564.2

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 11/19/2024

NT

Not Tested

Moisture Content

NT

Not Tested

Water Activity

Not Tested

Foreign Matter



Paulo Gonzalez
Laboratory Manager
11/25/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

